



# Index

## Symbols

!important 477  
#d2b48c (color in hex code) 32  
&amp; entity 114, 272  
& character 114, 272  
&gt; entity 114  
&lt; entity 114  
.. (dot dot) notation 64, 65  
/\* and \*/ 315  
:8000 port 147  
<!-- and --> (see comments)  
< character 114  
> character 114  
[] (square brackets) 617  
{ } braces 331

## A

absolute layout 526  
    versus floating layout 530–531  
absolute paths 138–139  
    versus relative paths 139  
absolute positioning 519–526, 532, 542  
accessibility  
    alt attribute 176, 255  
    forms 632, 634  
    linking 149, 161  
    scaling fonts using pixels 355  
    table summaries 557  
action attribute 596, 597  
<a> element 47–49  
    destination anchors 151–155  
    frames 642  
    href attribute (see href attribute)

    new window 157–159  
    rendering in browser 49–50  
    state 468–470  
    strict HTML 4.01 254  
    target attribute 158–159  
    title attribute 149  
    (see also linking)  
alt attribute 176, 237  
    images 255  
anchors 151–155  
    finding 153  
    name 154  
anti-aliasing 213  
ASP 646  
attributes 51–52  
    Attributes Exposed 53  
    order 155  
    required 255  
    selectors 640  
    supported 52  
Attributes Exposed 53

## B

background-color property 289, 367–368, 399  
    tables 566  
background-image property 404–408, 447  
background-position property 406, 407  
background-repeat property 406, 407, 447  
background property 459  
backups 127  
backwards compatibility of XHTML with HTML 276  
Behind the Scenes  
    browsers and images 167–168  
    default pages 141  
    HTML links 48–50  
blink decoration 377

block elements  
  flow 488–489, 493–494, 542  
  strict HTML 4.01 253–254  
  versus inline elements 94–97  
<blockquote> element 89–92, 94  
  multiple paragraphs 92  
  nested 362  
  nesting <q> inside 92  
  strict HTML 4.01 254  
Blogger.com 650  
blogs 650  
body 23, 32  
<body> element 23, 82–83  
  font size 358  
  strict HTML 4.01 253  
border-bottom-color property 411  
border-bottom-style property 411  
border-bottom-width property 411  
border-bottom property 295, 296  
border-collapse property 564  
border-color property 399, 411, 412  
border-left-color property 411  
border-left-style property 411  
border-left-width property 411  
border-right-color property 411  
border-right-style property 411  
border-right-width property 411  
border-spacing property 562–563  
  Internet Explorer 563  
border-style property 399, 410, 412  
border-top-color property 411  
border-top-style property 411  
border-top-width property 411  
border-width property 399, 411  
border property 459, 560  
borders 391–396, 400–401, 410–412  
  default sizes for keywords thin, medium,  
    and thick 412  
  <div> element 440  
boxes, flow 488–497  
box model 391–396  
  borders (see borders)  
  content area (see content area)

  margins (see margins)  
  padding (see padding)  
<br> element 98–101, 145  
  XHTML 1.0 Strict 275  
Browser Exposed 228  
browsers  
  automatically resizing images 182  
  choices 16  
  default sizes for keywords thin, medium, and  
    thick 412  
  determining good design across various 358  
  directories versus files 140  
  display 6  
<form> element 595  
forms  
  GET 620–621  
  POST 620–621  
  text limitations 607  
  headings, default sizes 358  
  how forms work 593  
  images 166–168  
<img> element 166–168  
imperfect HTML 225  
links (see <a> element)  
opening HTML files 19  
pixel dimensions 182  
quick overview 2–3  
resizing fonts 358  
standards compliant code 229  
tables 553  
URLs 135–136

#### Bullet Points

<a> element 69  
block elements 117  
borders 424  
content area 424  
CSS properties 331  
<div> element 482  
fonts  
  color 379  
  families 379  
  size 379  
  style 379  
forms 634  
FTP 161

- hex codes 379
- HTML 4.01 261
- <img> element 214
- inline elements 117
- JPEG versus GIF 214
- layouts 542
- linking 69, 161
- lists 117, 581
- margins 424
- padding 424
- positioning 542
- pseudo-classes 482
- relative paths 69
- <span> element 482
- style sheets 424
- tables 581
- tags 36
- URLs 161
- W3C validator 261

## C

- caption-side property 560
- cascading style sheets (see CSS)
- cd command (FTP) 132
- cell phones 649
- cells
  - border-collapse property 564
  - border-spacing property 562–563
- characters (see special characters)
- checkboxes 599, 607, 615
- child elements 454
- classes 317–321, 331
  - adding elements to 317
  - adding style 399–415
  - Class Exposed 414–415
  - creating 399
  - creating selectors for 318, 320
  - elements of multiple classes 321
  - pseudo-classes 468–471, 482
- Class Exposed 414–415
- .classname 331
- clear property 511, 542
- closing tag 25, 26
- color 363–376
  - background-color property 367–368
  - hex codes 369–371
    - shorthand 373
  - online color chart 373
  - Photoshop Elements, Color Picker 372
  - selecting good font color 373
  - specifying 366–368
    - by hex value 369, 372
    - by name 367
    - by rgb values 368, 372
  - specifying in CSS 32
  - text 341
  - Web-safe colors 373
  - Web colors
    - finding 372–373
    - how they work 364–365
- color property 292, 294, 343
- colspan attribute 571
- columns, spanning 568–571
- comments 6
  - CSS comments 315
- compliance 251
- compliant HTML 229–230
- conflicting properties 322–323
- Content-Type 240
- content area
  - <div> element, width 442–446
- content attribute 240
- content versus style 34–35
- copyright symbol 114
- CSS 285–340, 473–482
  - adding into XHTML 291
  - body 32
  - box model 391–396
  - classes 317–321, 331
  - .classname 331
  - color 32
  - comments 315
  - font families 347
  - how name came about 480
  - id attribute 417
  - laying out forms
    - tables versus CSS 624–625
  - precedence 479
  - properties (see properties (CSS))

## the index

### CSS (*continued*)

- using with XHTML 289, 290
- validating 328–329
- versus HTML 32, 34–35
- versus XHTML 324–325
- .css file 303
  - lounge.css file
    - creating 304
    - linking 305
- CSS Up Close
  - background-image property 406–407
  - background-position property 406
  - background-repeat property 406
- Cursive font family 345
- Cyberduck 134

## D

- data transfer 127
- default font 388
- default pages 140–141
- descendants 452–454
- design
  - determining good design across various browsers 358
  - Tony's Journal 79–83
- destination anchors 151–155
  - finding 153
  - name 154
- dir command (FTP) 133
- directories versus files in browsers 140
- <div> element 432–457, 482
  - borders 440
  - descendants 452–454
  - float property 504–505
  - heading color 455
  - height 446
  - id attribute 434
  - labelling 434
  - line-height property 456
  - logical sections 433
  - marking sections 434
  - nested 436
  - structure 436
  - style 435, 441, 447–449

- text-align property 447–449
- width 442–446
- dividing pages into logical sections (see <div> element)
- DOCTYPE 231, 240
  - moving from transitional to strict 243–251
  - Transitional HTML 4.01 235–237
    - tentatively valid HTML 4.01 Transitional 238
  - Transitional XHTML 272
  - XHTML 1.0 Strict 268
- domain name
  - hosting 127
  - obtaining 128
  - registration services 129
  - versus Web site name 129
  - why it's called 129
- dot dot (..) notation 64, 65
- double quotes 86
- Dreamweaver 16, 644

## E

- elements 25, 36
  - adding to classes 317
  - attributes 29
  - block (see block elements)
  - capitalization 251
  - empty 101
    - strict HTML 4.01 254
  - floated 542
  - inline 117
    - strict HTML 4.01 253–254
  - members of multiple classes 321
  - multiple selectors matching element 322
  - nesting 109–111
  - pseudo-elements 640
  - state 468–470
- em, font size scaling factor 353
  - versus percentage (%) 358
- Emacs 644
- <embed> element 643
- <em> element 315
- empty elements 101
  - <img> element 175
    - strict HTML 4.01 254
    - XHTML 1.0 Strict 275
- example files xxxiii

# F

Fantasy font family 345

Fetch 134

<fieldset> element 632

files

- directories versus files in browsers 140

- fixing broken images 66–67

- loading through forms 633

- organizing files and folders 56–65

- separators 65

- updating file locations 58–65

Firefox 16

- handling imperfect HTML 225

Fireside Chats

- absolute positioning versus float positioning 530–531

- block elements versus inline elements 96

- content versus style 34–35

- CSS versus XHTML 324–325

- HTML versus XHTML 280–281

- JPEG versus GIF 170–171

- laying out forms 624–625

- transitional HTML 4.01 versus strict HTML 4.01 256–257

Five-Minute Mystery

- The Case of Brute Force versus Style 302

- Solved 308

- The Case of Relatives and Absolutes 148

- Solved 156

- The Case of the Elements Separated at Birth 89

- Solved 93

fixed positioning 535–540

- Internet Explorer 535

Flash 643

floated elements 542

floating layout 526

- versus absolute layout 530–531

float property 488, 495–497

- center 512

- inline elements 513

- Starbuzz Coffee project, sidebar 504

- (see also flow)

flow 488–497

- block elements 488–489, 493–494, 542

- boxes 492–494

- inline elements 491–494, 542

- (see also float property)

folders

- organizing files and folders 56–57

- parent 65, 67, 69

- root 65

font-family property 294, 311–315, 342, 344–345, 350

- CSS 347

font-size property 342

font-style property 361–362, 560

font-weight property 343, 359–360

font property 460

fonts (see text, fonts)

footer 501

- clear property 511

- fixing 527

- overlap problem 509

- style 502

foreign characters 114

<form> element 594–597

- action attribute 596, 597

- adding 605

- browsers 595

- <fieldset> element 632

- how <form> element works 596

- how form element names work 606

- <input> element (see <input> element)

- <label> element 632

- <legend> element 632

- <option> element 601, 610

- <select> element (see <select> element)

- <table> element 627–628

- <textarea> element 600, 615

- (see also forms)

forms 591–638

- [ ] (square brackets) and PHP 617

- accessibility 632, 634

- browsers 595

- checkboxes 599, 607, 615

- checkbox input 599

- code example 594

- GET 620–621

- how forms work 592

- in browsers 593

- laying out in tables 626

- and CSS 624–625

- code 627–628

- styling with CSS 630–631

- loading files 633

- passwords 633

forms (*continued*)

- picking names for elements 607
- POST 596, 620–621
- radio buttons 599, 607, 612–613
- submit button 607
- submit input 598
- submitting 606
- text input 598
- text limitations 607
- what can go into 598–601
- (see also <form> element)
- <frame> element 642
- frames 642
  - <a> element 642
  - <iframe> element 642
- <frameset> element 642
- FrontPage 16, 644
- frozen layout 517, 542
- FTP 132–134, 161
  - applications 134
  - cd command 132
  - connecting to server 132
  - dir command 133
  - get command 133
  - mkdir command 133
  - other protocols 147
  - put command 132
  - pwd command 133
  - SFTP 134

## G

- GET 620–621
- get command (FTP) 133
- GIF
  - JPEG photo versus GIF photo 175
  - transparent 206–208
  - versus JPEG 169–171, 214
  - (see also images)
- GNU Emacs 644
- GoLive 16, 644
- Google 647
- graphics (see images)

## H

- <h1> element 22
  - style 294–296
  - (see also headings)
- <h2> element 22
  - style 294–296
  - (see also headings)
- head 23
- <head> element 82–83
  - strict HTML 4.01 253
- header 500
  - style 502
- Head First Lounge project
  - Behind the Scenes 48–50
  - directions.html 45
  - <div> element 430–457
    - borders 440
    - elixirs page 438–439
    - heading color 455
    - style 441, 447–449
    - width 442–446
  - elixir.html 45
  - fixing broken images 66–67
  - float property 497
  - images 46
  - lounge.html 46
    - editing 47
  - lounge folder 46
  - organizing files and folders 56–65
  - overview 44–45
  - source files 46
- headings 6, 22
  - adding style 294–296
  - color 455
  - default sizes 358
  - levels 6
- <head> tag 23, 36
- height attribute 177
- height property 446
- hex codes 32, 369–371
  - shorthand 373
- hosting 127–129
  - domain name 127
  - guide 127

- providers 127
- renaming root folder 131
- href attribute 47–49
  - .. (dot dot) notation 64
  - Attributes Exposed 53
  - linking style sheet 305
  - relative paths 58–65
  - versus id attribute 155
- HTML
  - attributes xxxii
  - backwards compatibility of XHTML 276
  - comments 6
  - converting to XHTML 272
  - DOCTYPE 231
  - elements xxxii
    - tag names xxxiii
  - first look at code and display 4–5
  - history 226–227
  - imperfect 225
  - indentation of code 6
  - standard 230
  - standards 52
  - tools for converting to XHTML 276
  - validators for HTML versus XHTML 277
  - versions 226–230
  - versus CSS 32, 34–35
  - versus proprietary document format 6
  - versus XHTML 280–282
  - W3C validator 234, 236, 261
  - Web pages 2
- HTML 4.01 Strict, converting to XHTML
  - Strict 1.0 274–275
- <html> element 82–83
  - strict HTML 4.01 253
  - XHTML 272, 274
- HTML files 6
  - first HTML file 22
  - Mac 12–13
  - opening in browser 19
  - saving in Notepad (Windows) 18
  - viewing 16
  - Windows 14–15
- .html or .htm files 6
- <html> tag 23
- HTML Up Close, <option> element 610
- http-equiv attribute 240

- HTTP protocol 137
  - other protocols 147
- hypertext 43
  - links (see <a> element)
  - reference (see href attribute)

## I

- id attribute 416–419
  - CSS 417
  - <div> element 434
    - versus href attribute 155
  - <iframe> element 642
- images 165–222
  - accessibility 255
  - adding multiple 193
  - alt attribute 255
  - broken image icon 218
  - browsers 166–168
    - and pixel dimensions 182
    - automatically resizing images 182
  - creating individual pages for each image 200
  - determining URL 175
  - fixing broken images 66–67
  - GIF (see GIF)
  - Head First Lounge project 46
  - <img> element (see <img> element)
  - JPEG (see JPEG)
  - linking directly to 203
  - links 55
  - logo
    - adding to myPod Web page 211
    - creating 204–213
    - setting matte color 209–211
  - making links out of 201–203
  - PNG 165, 175
  - positioning 528–529
  - PSD 204–205
  - resizing 181–190
    - Photoshop Elements 184–190
    - width and height 177, 182
  - thumbnails 195–203
    - creating 196
    - creating folder for 195
    - placement 198
    - turning into links 199–203
  - transparent images 205–208
    - decisions 207

images (*continued*)

- users scrolling to see 182
- which format to use 206
- <img> element 26, 101, 173–177
  - adding multiple images 193
  - alt attribute 176, 237
  - browsers 166–168
  - fixing broken images 66–67
  - linking images 55
  - nesting HTML problems 251
  - src attribute 173–174
  - width and height 177, 190
- imperfect HTML 225
- indentation of code 6
- index.html, as part of URL 141
- index.html file 18, 24
- inheritance 311–315, 322
  - identifying 315
  - overriding 314, 315
  - style 362
- inline elements 117
  - float property 513
  - flow 491–494, 542
  - positioning 522
  - strict HTML 4.01 253–254
  - versus block elements 94–97
- <input> element 598–599, 608
  - type=“checkbox” 599, 607, 615
  - type=“file” 633
  - type=“password” 633
  - type=“radio” 599, 607, 612–613
  - type=“submit” 598
  - type=“text” 598
    - versus <textarea> 607
- Internet, quick overview 2
- Internet Explorer 16
  - border-spacing property 563
  - double quotes 86
  - fixed positioning 535
  - imperfect HTML 225
  - scaling font size in pixels 355
- ISO-8859-1 character encoding 240, 261
- italics 361–362

## J

- JavaScript 645
- JavaServer Pages (JSPs) 646
- jello layout 518–519, 526, 542
- JPEG
  - JPEG photo versus GIF photo 175
  - linking directly to 203
  - quality setting 190
  - resizing in Photoshop Elements 185–190
  - versus GIF 169–171, 214
  - (see also images)

## L

- <label> element 632
- lang attribute 272, 274
- layouts
  - absolute 526
    - versus floating 530–531
  - floating 526
    - versus absolute 530–531
  - frozen 542
  - jello 518–519, 526, 542
  - liquid 542
  - liquid and frozen 517
  - three-column 541
  - two-column 526
- <legend> element 632
- <li> element 104–108
  - strict HTML 4.01 254
  - (see also lists)
- line-height property 389–390, 456, 460
- linebreaks 95
  - <br> element 98–101
- <link> element
  - linking to style sheet file 305
  - media attribute 422, 648
    - mobile devices 649
  - rel attribute 305
  - style sheets 388
- linking
  - accessibility 149
  - adding titles 149

- destination anchors 151–155
  - from html to style sheets 305
  - grouping links and text into paragraph 145
  - images 55
  - new window 157–159
  - other Web sites 144–147
  - relative paths 58–65
  - style sheets 388
  - (see also <a> element)
  - liquid layout 517, 542
  - list-style-image property 579
  - list-style-position property 580
  - list-style-type property 578
  - list items in strict HTML 4.01 254
  - lists 104–108, 117
    - items 105
    - list-style-image property 579
    - list-style-position property 580
    - list-style-type property 578
    - margin-left property 579
    - nested 108
    - ordered 105, 108
      - style 580
    - padding-top property 579
    - strict HTML 4.01 254
    - style 578–580
    - text wrap 580
    - unordered 105, 108
  - logo 204–213
    - adding to myPod page 211
    - setting matte color 209–211
    - text softened 213
    - transparent images 205–208
  - lounge.css file
    - creating 304
    - linking 305–306
- ## M
- Mac
    - creating HTML file 12–13
    - TextEdit 12–13
  - margin-left property 447, 560, 579
  - margin-right property 409, 560
  - margin property 402, 458–459
    - fixing two-column problem 508
  - margins 391–396, 402–403
    - collapsing 513
    - right-side only 409
    - versus padding 396
  - matching tags 25, 26
  - media attribute 422
    - mobile devices 649
    - printing 648
  - medium keyword 412
  - <meta> tags
    - and content descriptions 240
    - improving rankings 647
    - validators 241
  - method attribute 594
  - mkdir command (FTP) 133
  - mobile devices 2, 649
    - style sheets 422–423
  - Monospace font family 345
  - multimedia 643
  - myPod Fan Site project 178–213
    - adding multiple images 193
    - creating individual pages for each image 200
    - logo 204–213
      - adding to Web page 211
      - setting matte color 209–211
      - transparent images 205–208
    - making links out of images 201–203
    - resizing images 181–190
      - Photoshop Elements 184–190
    - thumbnails 195–203
      - creating 196
      - creating folder for 195
      - placement 198
      - reworking HTML 197
      - turning into links 199–203
- ## N
- nested lists 108
  - nested tables 572–576
    - overriding style 576
  - nesting elements 109–111
  - nesting HTML problems 251

No Dumb Questions

- important 477
- absolute path 139
- absolute positioning 522
- <a> element
  - linking text 55
- anchors 155
- attributes 52
  - order 155
- blink decoration 377
- block elements 494
- <blockquote> element 92, 255
- border-spacing property 563
- borders 396
- <br> element 101
- browsers 16
  - automatically resizing images 182
  - display 6
  - pixel dimensions 182
  - resizing fonts 358
- capitalization or elements 251
- cascade 477
- child elements 454
- closing tags 26
- collapsing margins 513
- color
  - rgb values 368
  - Web-safe colors 373
- compliance 251
- compliant HTML 230
- content area 396
- converting HTML to XHTML 276
- CSS
  - body 32
  - comments 315
  - validating 329
- default pages 141
- descendants 454
- destination anchors 155
- determining good design across various browsers 358
- <div> element 437
  - width 446
- DOCTYPE 240
- domain name 129
  - versus Web site name 129
- dot dot (..) notation 65
- editing files on Web server 134
- elements, attributes 29

- element state 469
- <em> element 315
- empty elements 101, 175
- file separators 65
- floating center 512
- float property, inline elements 513
- font-family property 350
- fonts, multiple words 350
- font size
  - defining in <body> element 358
  - em versus percentage (%) 358
  - not defining 358
  - pixels (px) 358
- forms 607
  - checkboxes 607
  - picking names for elements 607
  - radio buttons 607
  - submit button 607
  - text <input> versus <textarea> 607
  - text limitations 607
- GET 621
- headings 6
  - levels 6
- hosting company renaming root folder 131
- href attribute, versus id attribute 155
- HTML
  - comments 6
  - files 6
  - indentation of code 6
  - standards 52
  - versus CSS 32
  - versus proprietary document format 6
  - viewing files 16
- id attribute 416, 419
- images
  - browsers and pixel dimensions 182
  - determining URL 175
  - linking directly to 203
  - links 55
  - resizing with width and height 182
  - users scrolling to see 182
- <img> element 175
  - width and height 177, 190
- inheritance
  - identifying 315
  - overriding 315
- inline elements 494
  - positioning 522
- ISO-8859-1 240
- JPEG photo versus GIF photo 175

- JPEG quality setting 190
  - launching new window 158
  - linebreaks 95
  - lists 108
  - list style 580
  - logo 213
  - margins 396
  - <meta> tag 240
  - nested lists 108
  - nesting HTML problems 251
  - number of style rules 297
  - <option> element 607
  - ordered lists 108
  - organizing files and folders 57
  - padding 396
  - parent folder 65
  - <p> element, style 290
  - PNG 175
  - ports 147
  - position property 522
  - POST 621
  - precedence 479
  - properties (CSS) 290
  - protocols 139, 147
  - <q> element 92
  - quotes 92
  - relative paths versus URLs 147
  - required attributes 255
  - root folder 65, 131
  - serif and sans-serif fonts 350
  - SFTP 134
  - shorthand properties 461
  - <span> element 466
  - special characters 115
  - specificity 477, 479
  - standard HTML 230
  - strict HTML 4.01 255
  - style sheets 421
    - links to 479
  - tables 555
    - border-spacing property 563
    - spanning columns 571
  - tags 6
    - matching 26
    - nested 26
    - not matching 26
    - shorthand notation 26
    - target attribute 158
    - text, selecting good font color 373
    - text editors 16
    - two-column property 512
    - unordered lists 108
    - URLs 139
    - using CSS with XHTML 290
    - validator messages 251
    - validators for HTML versus XHTML 277
    - Web sites 139
    - XHTML 276
      - xmlns attribute 276
  - Notepad (Windows) 14–15
    - saving HTML files 18
- ## O
- <object> element 643
  - <ol> element 105, 108
  - onsubmit attribute 645
  - opening tag 25
    - attributes 36
  - Opera 16
  - <option> element 601, 607
  - ordered lists 105, 108
    - style 580
  - organizing files and folders 56–65
  - outlines, Tony's Journal 79–83
- ## P
- padding 391–396, 401–402
    - left-side only 408
    - versus margins 396
  - padding-bottom property 447
  - padding-left property 408, 447
  - padding-right property 447
  - padding-top property 560, 579
  - padding property 401, 458, 560
  - pages, dividing into logical sections (see <div> element)
  - <p> and </p> tags 22
  - paragraphs, setting color 289, 292
  - parent folder 65, 67, 69

- passwords in forms 633
- PDAs 2, 649
- <p> element
  - setting color 289, 292
  - style 290
- percentage (%) 352
  - versus em 358
- Perl 646
- photos (see images; JPEG)
- Photoshop Elements 184–190
  - Color Picker 209, 372
  - setting matte color 209–211
  - transparent images 205–208
- PHP 646
- pictures (see images)
- pixels (px) 352, 358
  - accessibility 355
- PNG 175
  - (see also images)
- positioning
  - absolute 519–526, 532, 542
  - fixed 535–540, 542
  - float versus absolute 530–531
  - negative property values 537
  - relative 539, 542
  - static 540, 542
  - (see also layouts)
- position property 520–540
  - absolute 520–524, 542
  - fixed 535–540, 542
  - relative 539, 542
  - static 542
- POST 596, 620–621
- precedence 479
- presentation 28–32, 87
- printing, style sheets 648
- properties (CSS) xxxii, 290
  - !important 477
  - { } braces 331
  - background-color 367–368, 399
    - tables 566
  - background-color property 289
  - background-image 404–408, 447
  - background-position 407
  - background-repeat 407, 447
  - border 560
  - border-bottom 295, 296
  - border-bottom-color 411
  - border-bottom-style 411
  - border-bottom-width 411
  - border-collapse 564
  - border-color 399, 412
  - border-color property 411
  - border-left-color 411
  - border-left-style 411
  - border-left-width 411
  - border-right-color 411
  - border-right-style 411
  - border-right-width 411
  - border-spacing 562–563
  - border-style 399, 410, 412
  - border-top-color 411
  - border-top-style 411
  - border-top-width 411
  - border-width 399, 411
  - caption-side 560
  - clear 511, 542
  - color 292, 294, 343
  - conflicting 322–323
  - float (see float property)
  - font 460
  - font-family (see font-family property)
  - font-size 342
  - font-style 361–362, 560
  - font-weight 343, 359
  - height 446
  - line-height 389–390, 456, 460
  - list-style-image 579
  - list-style-position 580
  - list-style-type 578
  - margin 402
  - margin-left 447, 560, 579
  - margin-right 409, 560
  - negative values 537
  - padding 401, 560
  - padding-bottom 447
  - padding-left 408, 447
  - padding-right 447
  - padding-top
    - lists 579
    - tables 560
  - position (see position property)

- shorthand 458–461
  - background 459
  - border 459
  - font 460
  - margin 458–459
  - padding 458
- text-align 447–449
- text-decoration 343, 375–378
  - removing 378
- width, <div> element 442–446
- proprietary document format 6
- protocols 147
- PSD 204–205
  - (see also images)
- pseudo-classes 468–471, 482, 640–641
- Pseudo-class Exposed 470
- pseudo-elements 640
- put command (FTP) 132
- pwd command (FTP) 133
- Python 646

## Q

- <q> element 86–87, 89, 92, 94
  - nesting inside <blockquote> 92
- Quicktime movie, embedding 643
- quotes 86–94
  - (see also <blockquote> element; <q> element)

## R

- radio buttons 599, 607, 612–613
- rankings (search) 647
- registration services for domain names 129
- relative paths 60–65, 69, 145
  - .. (dot dot) notation 64, 65
  - fixing broken images 66–67
  - versus absolute paths 139
  - versus URLs 147
- relative positioning 539, 542
- rel attribute 305
- relocating files 60–65
- rgb values 368
- root folder 65, 131

- rows
  - color 566
  - spanning rows and columns 568–571
- rowspan attribute 569
- Ruby on Rails 646

## S

- Safari 16
- sans-serif font family 344, 350
- screen magnifiers 2
- <script> element 645
- scripting
  - client-side 645
  - server-side 646
- search engine tuning 647
- search rankings 647
- <select> element 601, 609–611
  - multiple options 633
- selectors 297–301, 640–641
  - attribute selectors 640
  - combining 641
  - creating for classes 318, 320
  - multiple matching element 322
  - pseudo-elements 640
  - siblings 641
- serif font family 344, 350
- SFTP (Secure File Transfer Protocol) 134
- shorthand properties 458–461
  - background 459
  - border 459
  - font 460
  - margin 458–459
  - padding 458
- siblings, selecting 641
- sidebar 501
  - floating 504
  - margin property, fixing two-column problem 508
  - style 502
  - two-column problem 506–508
- Smart FTP 134
- <span> element 464–466, 482
  - setting properties 466
  - style 465
  - when to use 466

- spanning rows and columns 568–571
- special characters 114–115
  - &amp; entity 114
  - & character 114
  - &gt; entity 114
  - &lt; entity 114
  - < character 114
  - > character 114
  - copyright symbol 114
- specificity and CSS 476–477, 479
- speech browsers 2
- square brackets 617
- src attribute 173–174
- standards (HTML) 52
  - adhering to 261
  - compliant code 229–230
- Starbuzz Coffee project 9–42, 498–541
  - absolute positioning 519–526
  - adding CSS to 30–31
  - code before next changes 500–501
  - creating folder 18
  - default page 141
  - destination anchors 151–155
  - domain name 127
  - first HTML file 22
  - fixed positioning 535–540
  - floating main content left 514–516
  - footer 501
    - clear property 511
    - fixing 527
    - overlap problem 509
    - style 502
  - forms 604–606
    - <input> element 608–609
    - <select> element 609–611
    - checkboxes and textarea 615–616
    - radio buttons 612–613
  - header 500
    - style 502
  - hosting 127–129
    - guide 127
  - images, positioning 528–529
  - index.html file 18, 24
  - linking to other Web pages 144–147
  - main 500–501
    - style 502
  - moving files to web server 130–135
    - FTP 132–134
    - root folder 131
  - presentation 28–32
  - setting up Web site online 126–164
  - sidebar 501
    - floating 504
    - margin property 508
    - style 502
    - two-column problem 506–508
    - style 502–503
  - Web page overview 11
- static positioning 540, 542
- strict.dtd file 246
- strict HTML 4.01
  - <a> element 254
  - block elements 253–254
  - <blockquote> element 254
  - empty elements 254
  - guide 253–254
  - <head> element 253
  - <html> element 253
  - inline elements 253–254
  - <li> element 254
  - list items 254
  - transitioning to 243–251
  - versus transitional HTML 4.01 256–257
- structure 20, 23, 25
  - <div> element 436
- <style> element 29, 36, 291
  - text/css type 29
- styles
  - applying 322
  - inheritance 311–315, 322
    - overriding 314, 315
  - number of style rules 297
  - tagging items 87
  - versus content 34–35
  - (see also style sheets)
- style sheets 349, 388, 420–424
  - creating style file 303
  - <link> element, media attribute 422
  - linking from html files 306
  - links to 479
  - lounge.css file
    - creating 304
    - linking 305–306

- mobile devices 422–423
- multiple 421
- order 421
- printing 648
- tables 560
- submit button 607
- symbols 114

## T

- `<table>` element 551–559
  - captions and summaries 557–558
  - `<form>` element 627–628
  - nested 573
  - `<td>` element 552–555
    - `colspan` attribute 571
    - `rowspan` attribute 569
  - `<th>` element 552–555
  - `<tr>` element 552–555
    - (see also tables)
- tables 551–576
  - accessibility 557
  - `background-color` property 566
  - `border` property 560
  - browsers 553
  - `caption-side` property 560
  - captions 557–558
  - captions and summaries
    - `font-style` property 560
    - `padding-top` property 560
  - cells 551
    - `border-collapse` property 564
    - `border-spacing` property 562–563
  - color 566
  - columns 551
    - spanning rows and columns 568–571
  - headings 551, 555
  - laying out forms 624–625
    - code 627–628
    - decisions 626
    - styling with CSS 630–631
  - `margin-left` property 560
  - `margin-right` property 560
  - nested 572–576
    - overriding style 576
  - `padding` property 560
  - rows 551
    - color 566
    - spanning rows and columns 568–571
  - style sheets 560
  - summaries 557–558
    - (see also `<table>` element)
- tag names xxxiii
- tags 6
  - closing 25, 26
  - how they work 25
  - matching 25, 26
  - nested 26
  - not matching 26
  - opening 25
    - attributes 36
    - shorthand notation 26
  - XHTML 272
- target attribute 158–159
- Target Attribute Exposed 159
- `<td>` element 552–555
  - `colspan` attribute 571
  - `rowspan` attribute 569
- tentatively valid HTML 4.01 Transitional 238
- text 341–384
  - browsers, resizing fonts 358
  - color property 343
  - default font 388
  - `font-family` property 342, 344–345, 350
  - `font-size` property 342
  - `font-style` property 361–362
  - `font-weight` property 343, 359–360
  - font families 344–345
    - CSS 347
    - Cursive family 345
    - Fantasy family 345
    - Monospace family 345
    - sans-serif family 344
    - serif family 344
  - fonts
    - control over 351
    - customizing 342
    - multiple words 350
    - selecting good font color 373
  - font size 342, 352–358
    - default sizes of heading 358
    - defining in `<body>` element 358
    - determining good design across various browsers 358

text, font size (*continued*)  
    em 353  
    em versus percentage (%) 358  
    keywords 354  
    not defining 358  
    percentage (%) 352  
    pixels (px) 352, 358  
    specifying 354–355  
    Tony's Segway Journal 356–357  
italics 361–362  
line-height property 389–390  
overview 342–343  
scaling 355  
slanted 361–362  
style sheets 349  
text-decoration property 343, 375–378  
    removing 378  
text-align property 447–449  
text-decoration property 343, 375–378  
    removing 378  
<textarea> element 600, 615  
    versus text <input> 607  
TextEdit (Mac) 12–13  
text editors 16  
    Notepad (Windows) 14–15  
    TextEdit (Mac) 12–13  
<th> element 552–555  
thick keyword 412  
thin keyword 412  
three-column layouts 541  
thumbnails 195–203  
    creating 196  
    creating folder for 195  
    creating individual pages for each image 200  
    making links out of images 201–203  
    placement 198  
    reworking HTML 197  
    turning into links 199–203  
Tidy 276  
title attribute 149  
<title> element, strict HTML 4.01 253  
Tony's Segway Journal 79–124  
    font-weight property 360  
    font families 348–350  
    font size 356–357  
    orange and underlined headings 375–376  
    rough sketch 79–83

    style sheets 349  
    tables and lists 559–581  
        (see also lists; tables)  
    text-decoration property 377  
transitional HTML 4.01 235–237  
    tentatively valid HTML 4.01 Transitional 238  
    versus strict HTML 4.01 256–257  
Transitional XHTML 272  
Transmit 134  
transparent images 205–208  
<tr> element 552–555  
two-column layouts 526

## U

Unicode characters 114  
unordered lists 105, 108  
URLs 135–136, 161  
    :8000 port 147  
    absolute path 138–139  
    determining URL of image 175  
    directories versus files in browsers 140  
    HTTP protocol 137  
    index.html 141  
    versus relative paths 147

## V

validators  
    CSS 328–329  
    HTML versus XHTML 277  
    messages 251  
    <meta> tags 241  
    W3C 234, 236, 261  
VB.NET 646

## W

W3C (World Wide Web Consortium) 233  
W3C validator 234, 236, 261  
Watch it!  
    default sizes for keywords thin, medium, and thick 412  
    image size in browser 181  
    Internet Explorer  
        fixed positioning 535  
        scaling font size in pixels 355

- positioning 532
  - fixed 535
- <q> element 86
- text scaling 355
- W3C validator 236
- Web-safe colors 373
- Web browsers (see browsers)
- weblogs 650
- Web pages
  - ignoring (search engines) 647
  - linking to other 144–147
  - quick overview 2
  - rankings 647
  - tools 644
- Web servers 3
  - editing files on 134
  - moving files to web server 130–135
    - FTP 132–134
    - root folder 131
- Web sites
  - absolute path 138–139
  - backups 127
  - data transfer 127
  - default pages 140–141
  - directories versus files in browsers 140
  - domain name 127
    - obtaining 128
    - registration services 129
    - versus Web site name 129
    - why it's called 129
  - hosting 127–129
    - guide 127
    - providers 127
  - hosting company renaming root folder 131
  - HTTP protocol 137
  - linking to other 144–147
  - moving files to web server 130–135
    - FTP 132–134
    - root folder 131
  - URLs 135–136
- Webville Guide to Strict HTML 4.01 253–254
- width attribute 177
- width property
  - <div> element 442–446
- Windows
  - creating HTML files 14–15
  - Notepad 14–15
    - saving HTML files 18

- windows, launching new 157–159
- World Wide Web Consortium (W3C) 233
- WS\_FTP 134
- WYSIWYG 644

## X

### XHTML

- adding CSS 291
- backwards compatibility with HTML 276
- forms (see forms)
- <style> element (see <style> element)
- tools for converting HTML to XHTML 276
- using with CSS 289, 290
- validators for HTML versus XHTML 277
- versus CSS 324–325
- versus HTML 280–282
- why bother using 279
- XHTML 1.0 227, 266
  - &amp; entity 272
  - <html> element 272
  - benefits 270–271
  - converting from HTML 272
  - overview 265–284
  - tags 272
  - XML 269
- XHTML 1.0 Strict 268
  - <br> element 275
  - converting to 273
    - HTML 4.01 Strict 274–275
  - empty tags 275
  - <html> element 274
- XHTML UP Close
  - <link> element 305
- XML 267
  - using to recreate HTML 268
  - XHTML 269
- xml:lang attribute 272, 274
- xmlns attribute 272, 274, 276

## Y

- Yahoo! 647

