

Index

Symbols & Tags

- ! (EL operator) 396
- " character (HTML) 444
- && 396
- & character (HTML) 444
- ' character (HTML) 444
- <%! %> 294
- <%= %> 291
- <%@ page import %> 287
- <attribute> 477
- <auth-constraint> 665, 668
- <auth-method> 663, 678
- <body-content> 477, 482. *See* body-content
- <c:catch> 472
- <c:choose> 454
- <c:forEach> 447
- <c:if> 451
- <c:import> 460
- <c:otherwise> 454
- <c:out>
 - default attribute 445
 - escapeXml attribute 443
- <c:param> 463
- <c:remove> 458
- <c:set> 455
 - gotchas 457
- <c:url> 465
- <c:when> 454
- <context-param> 157
- < character (HTML) 444
- <dispatcher> 711
- <dynamic-attributes> element 559, 561
- <ejb-local-ref> 630
- <ejb-ref-name> 630
- <ejb-ref-type> 630
- <ejb-ref> 630
- <el-ignored> 322
- <env-entry-name> 632
- <env-entry-type> 632
- <env-entry-value> 632
- <env-entry> 632
- <error-code> 470
- <error-page> 470
- <exception-type> 470
- <extension> 633
- <filter-class> 710
- <filter-mapping> 710
- <filter-name> 710
- <filter> 710
- <form-error-page> 679
- <form-login-config> 679
- <form-login-page> 679
- <function> 393
- <home> 630
- <http-method> 665
- <init-param> 150
- <jsp-config> 321
- <jsp-file> 310
- <jsp-property-group> 321
- <jsp:attribute> 481
- <jsp:forward> 413
- <jsp:getProperty> 349
- <jsp:include> 404
- <jsp:param> 412
- <jsp:setProperty> 351
- <jsp:useBean> 349, 354
- <listener-class> 169, 261
- <listener> 169, 261
- <load-on-startup> 628
- <local-home> 630
- <local> 630
- <location> 470

- <login-config> 663, 678, 679
- <max-inactive-interval> 248
- <mime-mapping> 633
- <mime-type> 633
- <param-name>
 - for context init parameters 157
 - for servlet init parameters 150
- <param-value>
 - for context init parameters 157
 - for servlet init parameters 150
- <remote> 630
- <required> 477
- <role-name> 664, 668
- <rtexprvalue> 477, 480
- <scripting-invalid> 321
- <security-constraint> 665, 670
- <security-role> 664
- <select>
 - automating 542–549
 - core attributes 550
 - event attributes 550
 - form attributes 550
 - internationalization attributes 550
 - tag attribute setters 552–554
- <servlet-class> 76
- <servlet-mapping> 619
- <servlet-name> 76
- <servlet> 76
- <session-config> 248
- <session-timeout> 245
- <tag-class> 477
- <tag> 477
- <timeout> 248
- <tomcat-users> 663
- <transport-guarantee> 684
- <uri> 393, 477, 484
- <url-pattern> 76
 - security constraints 665
 - the real details 618
- <user-data-constraint> 684
- <web-resource-collection> 665
- <web-resource-name> 665
- <welcome-file> 622
- <welcome-file-list> 622
- > character (HTML) 444
- [] operator 371
- || (EL operator) 396

A

- Action object 773
- ActionServlet 773
- addCookie() 251
- addHeader() 133
- ancestor (classic tags) 574
- Apache, directory structure 22
- API, servlet 98
- application/context scope 186
- APPLICATION_SCOPE 312
- attribute, in a simple tag handler 521
- attributeAdded 182
- attribute directive 506
- attributeRemoved 182
- attributeReplaced 182
- attributes
 - listeners. *See* listeners
 - scope 187
 - in a JSP 311
 - thread safety issues 192
 - what are they? 185
- auth-constraint 665
- authentication 653, 657, 677
 - BASIC 677
 - CLIENT-CERT 677
 - DIGEST 677
 - FORM 677
- authorization 653, 657

B

- BASIC 677
- bean-related standard actions 348
 - bullet points 418
- BE the Container
 - deployment 607
 - sessions 247
 - standard actions 358
 - tag handlers 537
 - TLD/JSP 517
- body-content
 - empty 482
 - in Tag Files 508
 - JSP 482
 - scriptless 482

- tagdependent 482
- tag element 482
- BodyTag 530, 562
- BodyTagSupport 530
- Bullet Points
 - <dynamic-attributes> element 561
 - <web-resource-collection> 666
 - bean-related standard actions 418
 - chapter 1-intro 35
 - chapter 4-servlet lifecycle and API 124
 - DynamicAttributes interface 561
 - EL review 400
 - HTTP and HttpServletRequest 125
 - HttpServletRequest 140
 - review of include 418
 - setDynamicAttribute() method 561
 - simple tags 523
- Business Delegate 753
- Business tier patterns 761

C

- CGI 27
- chain (filter) 714
- chain.doFilter() 714
- class attribute (<select>) 550
- Classic tag handlers
 - ancestors 574
 - API 530
 - BodyTag 562
 - default return values 537
 - IterationTag 537
 - lifecycle 533
 - lifecycle return values table 563
 - Parent/getParent() 568
- Classic tags, DynamicAttributes interface 560
- class variables, thread-safe 203
- CLIENT-CERT 677
- Code Magnets
 - configuring DD init params 161
 - EL 380
 - JSP elements 325
 - making a JSP 300
 - servlet/DD intro 60
 - session/timeout 246
- Coffee Cram. *See* Mock Exam Questions
- comments (in a JSP) 304

- compiling, example 81
- CompressionFilter 722
- compression filter 711
- CompressionResponseWrapper 724
- CONFIDENTIAL 684
- confidentiality 653, 684
- constraints (security) 665
- Container, what it does (intro) 39–41
- Container-generated servlet 293
- contentType 315
- content type 130
- Context
 - attributes 187
 - not thread-safe 192
 - listener 166. *See also* ServletContextListener
 - scope 187
 - not thread-safe 192
- context (init) parameters 157
 - in a JSP 390
 - vs. servlet init parameters 158
- contextDestroyed 182
- contextDestroyed(ServletContextEvent) 166
- contextInitialized 182
- contextInitialized(ServletContextEvent) 166
- Controller
 - a first look 54
 - first code example 80
- Cookie (class API) 251
- cookie (EL implicit object) 390
- cookies 232, 250
 - custom cookie example 252–253
 - vs. headers 253
- cross-site hacking 444
- custom tags
 - attributes 551
 - development 543–549
 - invalid attribute name 560

D

- Dating Query Language 50
- DD 150
 - a first look 48
 - <env-entry> 632
 - <mime-mapping> configuration 633
 - <scripting-invalid> 321
 - authentication configuration 678

- DD (*continued*)
 - context init parameters 157
 - disabling scripting 321
 - EJB-related tags 630
 - error page configuration 470, 626
 - filter configuration 710
 - ignoring EL 321
 - listener configuration 174
 - security configuration 670–674
 - servlet init parameters 150
 - servlet mapping 616–619
 - session-timeout configuration 245
 - welcome files 622
- declarations, JSP 295
- declarative security 657
- Decorator pattern 719
- Deployment Descriptor. *See* DD
- deployment environment 73, 613
 - directory structures 607
 - META-INF 613
 - WAR files 612
- design patterns
 - Business Delegate 778
 - Front Controller 783
 - Intercepting Filter 781
 - MVC (a first look) 53
 - MVC (more serious) 782
 - review 778
 - Service Locator 779
 - Transfer Object 780
- destroy() (Filter interface) 708
- development environment 72
- DIGEST 677
- dir attribute (<select>) 550
- directive 287
 - include 314, 403
 - tag directive for Tag Files 508
 - Tag File attribute directive 506
 - taglib 314
 - prefix attribute 393
- disabled attribute (<select>) 550
- disabling scripting 321
- dispatch 134, 138, 206. *See also* RequestDispatcher
- div (EL operator) 396
- doEndTag() 532
- doFilter() 708
- doGet(), servlet method (first look) 99

- doPost(), servlet method (first look) 99
- doStartTag() 531
- doTag() 513, 558
- dot operator in EL 370
- dynamic 24
- dynamic attributes
 - runtime expressions 560
 - Tag Files 561
- DynamicAttributes interface 556–561
 - Classic tags 560
 - doTag() method 558
 - setDynamicAttribute() method 557, 560, 561

E

- EJB, related DD tags 630
- EL 369–374
 - bullet points 400
 - functions 392–394
 - HTML 384, 442–445
 - implicit objects 369, 385
 - cookie 390
 - initParam 390
 - param and paramValues 386
 - scope 389
 - naming rules 370
 - null expression 444–445
 - null values 399
 - operators 396
 - raw text rendering 384
 - security risks 444
 - the [] operator 371
- empty
 - <body-content> 482
 - tag 482
- encodeRedirectURL() 239
- encodeURL() 238
- eq (EL operator) 396
- error pages 468, 626
- errorPage 315, 468
- EVAL_BODY_AGAIN 539
- EVAL_BODY_BUFFERED 563
- EVAL_BODY_INCLUDE 533, 539
- EVAL_PAGE 532
- exam. *See* Objectives (official exam)
- exception, implicit object 471

Exercises

- BE the Container
 - deployment 607
 - sessions 247
 - standard actions 358
 - tag handlers 537
 - TLD/JSP 517
- Code Magnets
 - configuring DD init params 161
 - EL 380
 - JSP elements 325
 - Making a JSP 300
 - servlet/DD intro 60
 - sessions 246
- Deployment exercise 634
- EL and scripting evaluation 324
- Request/Response intro 29
- Who's responsible? 59

expression

- JSP 288–289

F

Filter

- interface methods 708
- lifecycle 708

filter

- BeerRequestFilter example 707
- mapping 710
- using with dispatcher 711

FilterChain 708

findAncestorWithClass() 574

findAttribute() (pageContext) 313

Five Minute Mystery, Case of the Missing Content 383

form, parameters 120–121. *See also* parameters

FORM-based security 677, 679

- j_password 679
- j_security_check 679
- j_username 679

form bean 772

forward() 206

forward (standard action) 414

Front Controller 769

functions (in EL) 392–394

G

ge (EL operator) 396

GeekDates 50

GenericServlet, API 98

GET 12–15

- and idempotency 116
- vs. POST (differences) 110

getAttribute() 186

- using pageContext 313

getCookies() 251

getCreationTime() 243

getHeader() 123

getInitParameter() 150, 163

getIntHeader() 123

getJspBody() 514

getLastAccessedTime() 243

getLocalPort() 123

getMaxInactiveInterval() 243

getOutputStream() 132

getParameter() 121

getParameterValues() 121

getParent() 568

getRemotePort() 123

getRemoteUser() 674

getRequestDispatcher() 206

getServerPort() 123

getServletConfig() 150, 163

getServletContext() 157, 163

getSession() 233

getWriter() 132

gt (EL operator) 396

H

header (EL implicit object) 387

headers 123

- adding/setting 133

- vs. cookies 253

HTML 6–8

- formatting 442–445

- Java helper method 442

- rendering 384

- special characters 384, 442–444

HTTP 6, 10
GET 12–15. *See also* GET
Methods 108–110
 difference between GET and POST 110
POST 16. *See also* POST
request (introduction) 12–13
response (introduction) 10–11
http-method 665
HttpServlet, API 98
HttpServletRequest 106, 122, 189
 bullet points 125
HttpServletResponse 106, 126
 bullet points 140
HttpServletResponseWrapper 720
HttpSession 227
 API 243
HttpSessionActivationListener 182, 260, 263
HttpSessionAttributeListener 182, 262
HttpSessionBindingEvent 182
HttpSessionBindingListener 182, 256, 263
HttpSessionEvent 182
HttpSessionListener 182, 261

I

id attribute (<select>) 550
idempotent 112–114
implicit objects
 EL 369, 385. *See also* EL, implicit objects
 JSP 298
import
 <c:import> tag 460
 page directive attribute 287
include() 206
include directive 314, 403
 review 418
 vs. <c:import> tag 460
 vs. <jsp:include> 404
init()
 Filter interface 708
 servlet method (first look) 99
init parameters 150–151, 158
Initialization
 context init parameters 157
 using EL 390

JSP 310
 context init parameters (using EL) 390
 jspInit() 310
 servlet init params 310
servlet 103
servlet init parameters 150–151
web app/servlet context 159
instance variables
 SingleThreadModel 201
INTEGRAL 684
integrity 653, 684
invalidate() 243, 245
invoke() (JSP body) 514
isELIgnored 315
isErrorPage 315, 468
isNew() 234
isThreadSafe 315
isUserInRole() 674
items (<c:forEach> attribute) 449
iterating, a simple tag body 520
IterationTag 530, 537

J

j_password 679
j_security_check 679
j_username 679
J2EE 65
J2SE 1.4 xxvi
JavaBean, standard actions. *See* standard actions
Java EE 1.5 exam xxviii–xxix
JNDI 747
JSESSIONID 232
 URL rewriting 237–239
JSP
 a first look 87
 becomes a servlet... 283
 comments 304
 Container-generated servlet 293, 297
 declarations 295
 directive 287
 error handling 468–471
 <c:catch> 472–474
 expressions 288–289
 initialization 310
 jspInit() 310
 servlet init params 310

- jspInit() 310
- lifecycle 306
- page directive 287
- scriptlet 288
- translation and compilation 308
- JSP 2.0 xxvi
- JspContext 312. *See also* PageContext
- JSP Document 629
- JSP Expression Language 369, 384. *See also* EL
- JSP expression tag, null user 445
- JspFragment 522
- jspInit() 310
- _jspService 297
- JspTag 530
- JSTL 475
- JSTL 1.1 xxvi
- JSTL tags
 - <c:catch> 472
 - <c:choose> 454
 - <c:forEach> 447
 - items attribute 449
 - var attribute 449
 - <c:if> 451
 - test attribute 451
 - <c:import> 460
 - <c:otherwise> 454
 - <c:param> 463
 - <c:remove> 458
 - <c:set> 455
 - gotchas 457
 - <c:url> 465
 - <c:when> 454
 - test attribute 454

L

- lang attribute (<select>) 550
- le (EL operator) 396
- lifecycle
 - Classic tag handlers 533
 - JSP 306
 - methods (servlet) 98
 - doGet() 99
 - doPost() 99
 - init() 99
 - service() 99
 - session 255

- listeners
 - callback methods. *See* methods, listener callbacks
 - examples 261
 - HttpSessionActivationListener 182, 260, 263
 - HttpSessionAttributeListener 182, 262
 - HttpSessionBindingListener 182, 256, 263
 - HttpSessionListener 182, 261
 - listener events
 - HttpSessionBindingEvent 182
 - HttpSessionEvent 182
 - ServletContextAttributeEvent 182
 - ServletContextEvent 182
 - ServletRequestAttributeEvent 182
 - ServletRequestEvent 182
 - ServletContextAttributeListener 182
 - ServletContextListener 166, 182
 - ServletRequestAttributeListener 182
 - ServletRequestListener 182
 - session 255
 - table of session-related listeners 264
 - The eight listeners 182
- lt (EL operator) 396

M

- mapping
 - filters in the DD 710
 - servlets (a first look) 46–47
 - servlets in the DD 616
- Matchmaking Site 50
- META-INF 613
- methods
 - listener callbacks
 - attributeAdded 182
 - attributeRemoved 182
 - attributeReplaced 182
 - contextDestroyed 182
 - contextInitialized 182
 - requestDestroyed 182
 - requestInitialized 182
 - sessionCreated 182
 - sessionDestroyed 182
 - sessionDidActivate 182
 - SessionWillPassivate 182
 - valueBound 182
 - valueUnbound 182
 - servlet lifecycle API 98
- migration (session) 257

- MIME 17
 - <mime-mapping> in the DD 633
 - content type 130
- Mock Exam, request and response 141
- Mock Exam Questions
 - Q10 confidential data 796, 832
 - Q15 outer tag handler 799, 835
- API
 - Q17 session reference 800, 836
 - Q18 req reference to HttpServletRequest 800, 836
 - Q20 session reference 801, 838
 - Q28 HttpServletRequest 806, 842
 - Q33 servlet lifecycle 808, 844
 - Q39 HttpServletRequest 811, 847
 - Q42 event types 813, 849
 - Q45 doGet() method 814, 850
 - Q47 HttpServletResponse, streaming output data 814, 850
 - Q65 creating filter for Java EE web application 824, 860
 - Q67 ServletContextListener 825, 861
- Core J2EE
 - Q05 business delegate object and service locator object 795, 831
 - Q32 Java EE patterns 808, 844
 - Q35 MVC in Java EE n-tier application 809, 845
 - Q56 network calls 819, 855
- HTTP 1.1
 - Q09 HttpServlet 796, 832
 - Q22 HTTP GET versus HTTP POST 803, 839
- JSP 8, Q01 file location 792, 828
- JSP v2.0
 - Q02 EL 792, 828
 - Q03 tag definitions 793, 829
 - Q04 replacing Servlet code 794, 830
 - Q07 testing browser windows 795, 831
 - Q08 ServletContext 796, 832
 - Q12 JSP Document 798, 834
 - Q13 HTML output of JSP page 798, 834
 - Q16 HTTP 500 status code 800, 836
 - Q19 Classic tag handler 801, 837
 - Q24 scriptlets and strings 804, 840
 - Q25 removing scriptlet code 804, 840
 - Q26 <c:otherwise> 805, 841
 - Q27 business listing directory 806, 842
 - Q31 custom tags 808, 844
 - Q36 JSP page, importing data types 810, 846
 - Q41 removing JSP scriptlets 812, 848
 - Q44 translating JSP 813, 849
 - Q49 taglib directives 815, 851
 - Q51 <jsp-config> 816, 852
 - Q55 converting JSP to JSP Document 819, 855
 - Q61 including file contents 821, 857
 - Q62 search functionality 822, 858
 - Q63 testing tags and scriptlets 822, 858
 - Q66 splash page 824, 860
- JSTL v1.1
 - Q52 shopping cart items 817, 853
 - Q57 XML tags, displaying 820, 856
 - Q64 session scoped attribute 823, 859
- Servlet
 - Q06 session listeners 795, 831
 - Q07 testing browser windows 795, 831
 - Q11 Java EE DD 797, 833
 - Q14 HTTP session support 798, 834
 - Q21 WAR file 802, 838
 - Q23 DD fragment 803, 839
 - Q29 Java EE web application browser request 807, 843
 - Q30 deployment descriptor 807, 843
 - Q33 servlet lifecycle 808, 844
 - Q34 Java EE .war file's directory structure 809, 845
 - Q37 Java EE web application security features 810, 846
 - Q38 Java EE application directory structure 811, 847
 - Q40 Tag File 812, 848
 - Q43 servlet lifecycle 813, 849
 - Q46 updating live, running servlet's initialization parameters 814, 850
 - Q48 <security-constraint> 815, 851
 - Q50 resp reference to HttpServletResponse 816, 852
 - Q53 myVar reference 818, 854
 - Q54 deployment descriptor 818, 854
 - Q58 session migration 820, 856
 - Q59 invoking filters for request 821, 857
 - Q60 comparing servlet initialization parameters to context initialization parameters 821, 857
 - Q67 ServletContextListener 825, 861
 - Q68 responses to requests 826, 862
 - Q69 <security-constraint> 827, 863
- TagSupportAPI, Q19 Classic tag handler 801, 837
- mod 396
- Model, a first look 54
- multiple attribute (<select>) 550

MVC

- a first look 53
- more serious look 763

N

- name attribute (<select>) 550
- ne (EL operator) 396
- NONE 684
- null (in EL) 399
- null values 445

O

Objectives (official exam)

- Building a Custom Tag Library 500
- Building JSP pages using tag libraries 440
- Building JSP pages using the Expression Language (EL) and Standard Actions 344
- Filters 702
- High-level Web App Achitecture 38
- J2EE Patterns 738
- JSP Technology Model 282
- Servlets & JSP overview 2
- Session Management 224
- The Servlet Technology Model 94
- The Web Container Model 148
- Web Application Deployment 68, 602
- Web Application Security 650
- onblur attribute (<select>) 550
- onchange attribute (<select>) 550
- onclick attribute (<select>) 550
- ondblclick attribute (<select>) 550
- onfocus attribute (<select>) 550
- onkeydown attribute (<select>) 550
- onkeypress attribute (<select>) 550
- onkeyup attribute (<select>) 550
- onmousemove attribute (<select>) 550
- onmouseout attribute (<select>) 550
- onmouseover attribute (<select>) 550
- onmouseup attribute (<select>) 550
- operators (EL) 396
- out implicit object 298

P

- PAGE_SCOPE 312
- PageContext, API 312
- pageContext 311
 - get/set attributes 313
- page directive 287
 - attributes 315
 - contentType 315
 - errorPage 315
 - import 315
 - isErrorPage 315
 - isThreadSafe 315
- page scope 311
- param, EL implicit object 386
- param attribute 360
- parameters
 - context parameters 157
 - form parameters (a first look) 119–120
 - init parameters 150–151
 - in a JSP 310
- paramValues, EL implicit object 386
- Parent 568
- POST 16
 - and forms 117
 - not idempotent 116
 - parameters 119
 - vs. GET (differences) 110
- prefix (taglib directive attribute) 393
- PrintWriter 132

R

- redirect 134–136
- relative URL 136
- Request. *See also* HttpServletRequest, ServletRequest
 - and threads 101
 - API 106, 122
 - attributes 187
 - thread-safety 204
 - getSession() 233
 - introduction 12–13
 - RequestDispatcher 206–207
 - scope 186–187
 - wrappers 719

- REQUEST_SCOPE 312
- requestDestroyed 182
- request dispatch 138
- RequestDispatcher 206–207
 - forward() 206
 - include() 206
- requestInitialized 182
- requests
 - queuing 201–202
 - sending through pool 201–202
- requestScope, EL implicit object 388
- Response 126. *See also* HttpServletResponse;
 ServletResponse
 - API 106
 - introduction 10–11
 - wrappers 719
- response filter 711
- rewriting (URL) 237–239
 - encodeURL() 238
- RMI 748
- role-name 664
- rtexprvalue 477, 480

S

- scope
 - application/context 186
 - EL implicit objects 389
 - page 311
 - request 186
 - session 186
- scriptless (<body-content> 482
- scriptlet 288
- SCWCD exam xxviii–xxix
- security 653
 - <security-constraint> 670
 - <tomcat-users> file 663
 - <web-resource-collection> 666
 - constraints 665
 - data confidentiality 684
 - data integrity 684
 - how auth-constraint works 669
 - the Big 4 653
- security-constraint 670
- security-role 664
- security risks and EL 444
- security roles 664

- SelectTagHandler 551
- sendRedirect() 136. *See also* redirect
- Serialization, in session migration 260
- service()
 - servlet method (first look) 99
 - synchronizing (bad idea) 195
- Service Locator 754
- Servlet
 - class (API) 98
- servlet 97
 - a first look at code 30
 - initialization 103
 - init parameters 150–151, 158. *See also* parameters
 - lifecycle 97
 - mapping (a first look) 46–47
 - mapping (the details) 616
 - redirect. 134–136
 - tutorial: simple beer controller 80
- Servlet 2.4 xxvi
- ServletConfig 104, 151, 159
- ServletContext 104, 159, 162–163, 189
- ServletContextAttributeEvent 182
- ServletContextAttributeListener 182
- ServletContextEvent 168, 182
- ServletContextListener 166, 182
- ServletOutputStream 132
- ServletRequest 106, 122, 189
- ServletRequestAttributeEvent 182
- ServletRequestAttributeListener 182
- ServletRequestEvent 182
- ServletRequestListener 182
- ServletResponse 106, 126
- servlets
 - one request at a time 201
 - specification 203
- session
 - attributes 187
 - thread safety issues 197
 - cookies 232. *See also* cookies
 - creating/getting 233–235
 - getSession() 233–234
 - intro to sessions 227–229
 - invalidation 245
 - isNew() 234
 - lifecycle 255
 - listeners 255
 - API 264
 - migration 257–259

- scope 186
- session ID 232
- timeout 245
- SESSION_SCOPE 312
- sessionCreated 182
- sessionDestroyed 182
- sessionDidActivate 182
- sessionWillPassivate 182
- setAttribute() 186
- setContentType() 130
- setDir 552
- setDisabled 553
- setDynamicAttribute() method 557, 560, 561
- setHeader() 133
- setLang 552
- setMaxAge(int) 251
- setMaxInactiveInterval() 243
- setMultiple 553
- setName 553
- setOnblur 554
- setOnchange 554
- setOnClick 552
- setOndblclick 552
- setOnfocus 554
- setOnkeydown 553
- setOnkeypress 553
- setOnkeyup 553
- setOnmousedown 552
- setOnmousemove 553
- setOnmouseout 553
- setOnmouseover 552
- setOnmouseup 552
- setSize 553
- setStyle 552
- setTabIndex 554
- setTitle 552
- SimpleTag 530
- simple tags 513. *See also* SimpleTagSupport
 - API 515
 - attribute 521
 - bullet points 523
 - lifecycle 515
- SimpleTagSupport 513, 530
 - API 515
- SingleThreadModel 201–203
- size attribute (<select>) 550
- SKIP_BODY 531, 532

- SkipPageException 523
- specifications xxvi
 - servlets 203
- standard actions 323
 - <jsp:forward> 413
 - <jsp:getProperty> 349
 - <jsp:include> 404
 - <jsp:param> 412
 - <jsp:setProperty> 351
 - param attribute 360–361
 - property attribute 362
 - <jsp:useBean> 349, 354
 - type and class 356
 - bean-related 348
 - bullet points 418
- STM strategies 201–203
 - queuing requests versus sending through pool 202
- Struts 767
 - installing 776
- struts-config.xml 774
- style attribute (<select>) 550
- synchronizing
 - on the context 197
 - service() 195
- system requirements for this book xxvi

T

- tabindex attribute (<select>) 550
- tag. *See also* Classic tag handlers
 - <body-content>. *See* body-content
 - attributes 504
 - custom tag handler 477
 - Classic tag handler API 530
 - simple vs. classic 574
 - empty 482
 - TLD element 477
- tag attribute setters 552–554
- Tag Files 502
 - body-content 508
 - dynamic attributes 561
 - locations 509
 - tag directive 508
- Tag interface 530
- taglib 393
- taglib directive 314

- tag library 476
 - custom. *See* JSTL; JSTL tags
 - JSTL. *See* JSTL; JSTL tags
- Tag Library Descriptor 392. *See* TLD
- TagSupport 530
- TCP port 21
- templates (reusable JSP chunks) 402
- test <c:if> attribute 451
- threads
 - and scope 192–196
 - for requests (a first look) 101
- timeout (session) 245
- title attribute (<select>) 550
- TLD 392, 477, 483
 - for simple tags 513
 - locations in web app 486
- Tomcat
 - deploy/hot redeploy 153
 - deployment environment 73
 - generated servlet 297
 - starting Tomcat 77
- Tomcat, getting and installing xxvi
- Transfer Object 759
- translation and compilation (JSP) 308

U

- uri (taglib element) 484
- URL
 - introduction 20
 - relative 136
 - rewriting 237–239
 - encodeURIComponent() 238
- url-pattern 618
- useBean 349

V

- valueBound 182
- valueUnbound 182
- var <c:forEach> attribute 449
- View, a first look 54

W

- WAR files 612
 - META-INF 613
- WEB-INF 613–614
- web.xml 154. *See also* DD
- web app
 - initialization 159. *See also* Initialization; Servlet-Context
- web containers, one request at a time 201
- welcome files 622
 - Container choosing 625
- Wrappers (request and response) 719

X

- XML-compliant JSP (JSP document) 629
- XML entities 443




JavaCross 2.4

Let's give your right brain something to do.

It's a standard crossword, but almost all of the solution words are from chapters 13 and 14.

If you aren't a veteran puzzler, we've provided less "ornery" clues at the bottom of the page.



Across

- 3. Performance pattern
- 5. Architecture layer
- 7. Don't invoke me
- 9. Trickier filters
- 10. HTTP's stomping ground
- 11. One per Struts app.
- 12. Socket shielder
- 13. Could be moldy (abbr.)
- 14. Browser jockey
- 15. A Struts callback
- 18. Web developer's tool

- 19. Smalltalk pattern
- 21. Some kind of event
- 23. XML hotbed
- 24. Could be a browser
- 25. Crupi's bailiwick
- 27. JavaScript inspired
- 28. Fancy models
- 30. Inter-server ether
- 31. 1st step towards looseness
- 32. Hand off

Down

- 1. Data communicator
- 2. Convenient class
- 3. JSP super-chargers
- 4. Stackable component
- 6. DD brick
- 8. Single minded
- 11. Declarative reducer
- 16. The blueprints
- 17. State component
- 18. The yellow pages
- 19. Blind to the GUI
- 20. SL's shortcut
- 22. Filter's fate
- 26. Validate's home
- 29. Controller protecto (abbr.)

Extra Hints:

- 1. All scopes have'em
- 2. Decorate me
- 3. Could be stale
- 4. Container invokes me
- 5. MVC is one
- 6. XML chunk
- 7. Local call, not!
- 8. SCBCD stars
- 9. The big mapper
- 10. Announce
- 11. Less hard-coding
- 12. Getters and setters
- 13. MVC is one
- 14. Decorate me
- 15. Local call, not!
- 16. SCBCD stars
- 17. Announce
- 18. The big mapper


Answers!



JavaCross 2.4

Let's give your right brain something to do.

It's your standard crossword, but almost all of the solution words are from chapters 13 and 14.



Across

- 3. Performance pattern
- 5. Architecture layer
- 7. Don't invoke me
- 9. Trickier filters
- 10. HTTP's stomping ground
- 11. One per Struts app.
- 12. Socket shielder
- 13. Could be moldy (abbr.)
- 14. Browser jockey
- 15. A Struts callback
- 18. Web designer's tool
- 19. Smalltalk pattern
- 21. Some kind of event
- 23. XML hotbed
- 24. Could be a browser
- 25. Crupi's bailiwick
- 27. JavaScript inspired
- 28. Fancy models
- 30. Inter-server ether
- 31. 1st step towards looseness
- 32. Really fancy proxy

Down

- 1. Communicator
- 2. Convenient class
- 3. JSP super-chargers
- 4. Stackable component
- 6. DD brick
- 8. Single minded
- 11. Declarative reducer
- 16. The blueprints
- 17. State component
- 18. The yellow pages
- 19. Blind to the GUI
- 20. SL's shortcut
- 22. Filter's fate
- 26. Validate's home

This isn't goodbye

**Bring your brain over to
headfirstlabs.com**

**And don't forget to write and tell us
when you pass the exam!**

ikickedbutt@headfirstlabs.com
So we can have a drink in your honor.

Don't you know there's more on the headfirstlabs.com website? And if you're going to take the exam be sure to drop by javaranch.com and spend some time in the SCWCD study forum. Folks there are just so damn friendly it'll make you want to throw up.

