

Get it in your Brain, FAST

Head Rush Ajax



Learn how to make your web pages talk and listen all at the same time



Master out-of-this-world concepts, including the DOM, JSON, and XML

Watch Asynchronous and Synchronous Applications duke it out in an Espresso Talk



A caffeinated learning guide to the world of dynamic web pages



Load asynchronous programming directly into your brain



Make your clunky web apps feel like dynamic, responsive desktop applications

Index

Symbols

“?” 98
<a> 218, 219
<body> 212, 222, 255
<div> 13, 111, 124, 152, 166, 205, 225, 232, 254, 265, 288
 getting the text of 166
 instructions <div> 256
 setting the text of 166, 168
 111
<form> 33, 93, 288
<form> tag
 <form> 288
<h1> 240
<head> 81, 93, 212, 222
<html> 225
 212, 246, 250, 253, 254, 258, 265
<input> 124, 163, 183
 versus <div> 183
<p> 93, 111, 212, 219, 288
<script> 51, 56, 81
 13, 15, 50, 51, 111, 124, 267
 s 272
 newSpanElement 270
<textarea> 124
<title> 214, 222
<totals> 347

A

absolute URL 132
ActiveXObject 16, 17, 89, 90, 93, 124
addEventListener() 255

adding event handlers
 addEventListener() 255
 addOnClickHandlers() 255
addToTop5() 256, 259, 265, 266, 270
Ajax-powered coffee maker 145
 basic parts 146
 coffeemaker.php 149
 connecting the parts 147
 getBeverage() 155, 163
 getSize() 155, 163
 getting the server’s response 177
HTML 152
orderCoffee() 155, 159, 170
overview 148
sending a request 159
serveDrink() 155, 181
ajax.js 154, 156, 189, 285, 317, 402, 403
Ajax applications 304
 advantages
 dynamic page updates 3
 faster 3
 responsive 139
 iterative development 151
AJAX is just an acronym 5
Ajax toolkits
 Dojo 393
 Prototype 392
alert() 234
appendChild() 265, 270, 292, 296
application/x-www-form-urlencoded 310
asynchronous xi, 26, 29, 36, 37, 65, 70, 144, 164, 280
 asynchronous applications 58, 114, 139, 195
 compared to synchronous applications 140, 144, 164, 196
asynchronous JavaScript 60, 65

- asynchronously 291
- asynchronous requests 4, 35, 47, 95, 206
- defined 140
- asynchronous JavaScript xi, 274
- asynchronous requests 281, 313, 356
- attributes 222, 360
 - action 282
 - id 288
 - method 282

B

- boards.html 119, 358
- boards.js 358
- Brain Power 41, 81, 91, 115, 144, 161, 173, 245, 250, 323
 - explained xxix
- brainpower 257, 293, 299, 343
- Break Neck Pizza 142, 280, 315, 320, 322
 - asynchrony 142
 - Break Neck app 308
 - Break Neck JavaScript 296
- browser 40, 42, 43, 44, 46, 84, 303.
 - See also* web browser
 - browser-dependent 312

C

- cache 302, 303
- caching 118, 119, 120
- callback function 58, 102, 104, 111, 117, 178, 283, 284, 288
- Cascading Style Sheets (CSS) xxii, 40, 45, 50, 60, 153
 - external stylesheet 75
- child node 215, 232, 235, 352
- className 269, 270
- clearText() 169

- client-server 164
- code magnets 170
- coffee.js 154, 156
- Coffee Conundrum 150
- coffee maker 145
 - See also* Ajax-powered coffee maker
- coffeemaker.php 149, 177
- comma-separated values 359
- content type 308, 309, 310, 311, 313, 362
 - x-www-form-urlencoded 315
- createElement 205, 269, 292
- createRequest() 9, 10, 31, 35, 42, 46, 63, 85, 86, 90, 93, 100
 - creating two request objects 189, 192
- createTextNode 205, 270, 292
- CSS 203, 207, 247, 268, 285
 - CSS styles 274

D

- database 96, 335
- data format 361
- decoding 304
- document 205, 227, 231
- document.createElement 296
- document.createTextNode 296
- document.getElementById 290, 292
- Document Object Model (DOM) xiii, 44, 53, 56, 82, 124, 167, 174, 183, 201, 203, 207, 223, 229, 274, 352
 - branch 215
 - child elements 214, 215
 - versus innerHTML 183
- Dojo 393
 - dojo.io.bind 393
 - web site 393
- DOM 203, 204, 225, 289
- DOM tree 226, 228, 231, 232, 234, 235, 267, 274, 351, 363

drag-and-drop 397
 dummy parameter 118, 119
 dynamic HTML xi, 2, 65, 356

E

element node 216, 227, 233, 274
 Elements 222, 233
 Adding children 260
 empty value 17, 30
 encoding 304
 Error messages 294
 escape() 97, 100, 298
 Espresso Talk 164
 event handlers 76, 229, 247, 254.
 See also onBlur
 See also onChange
 See also onClick
 See also onFocus
 adding event handlers 254
 external CSS stylesheet 246

F

Firefox xxviii, 124, 305
 firstChild 232
 divNode.firstChild 232
 forms
 clearing 174
 submit 5, 31
 frameworks. *See* Ajax toolkits

G

GET 26, 29, 100
 GET parameters 306

GET request 297
 GET requests 362
 getAttribute() 235
 getAttributeNode 240
 getBeverage() 155
 getBoardsSold() 119
 getCustomerInfo() 125, 285
 getElementById() 50, 56, 83, 284, 301, 310,
 354, 368.
 See also Document Object Model
 getElementsByTagName() 205, 254, 354, 368
 GET request 299, 301, 302, 304, 308, 312, 313
 GET requests versus POST requests 298
 request security 304
 getSize() 155
 getText() 52, 56, 167
 getTime() 119

H

headfirstlabs 349
 headfirstlabs.com 321
 Head Rush Ajax xxi, 365
 Head Rush learning principles.
 See learning principles
 HTTP ready states 104
 See also readyState
 HyperText Markup Language (HTML) xxii,
 xxviii, 22, 40, 45, 60, 68, 74, 75, 77, 203,
 281, 285, 290
 4.01 222
 radio button 162

I

“id”attribute 205, 231
 innerHTML 183
 versus DOM 183
 insertBefore 269
 Internet Explorer xxviii, 45, 59, 89, 90, 115, 116,
 255, 305, 312
 7.0 93
 iterative development 151, 157

J

Java xxviii
 JavaScript xxii, xxviii, 2, 10, 29, 40, 46, 58, 74,
 76, 77, 81, 92, 102, 108, 116, 231, 253,
 282, 311, 323, 327, 349
 external files 154
 static 124, 156
 JSON 361, 369-390, 398, 399

L

lastChild
 divNode.lastChild 232
 leaf 215
 leaf node 216
 learning principles xxiv
 metacognition xxv
 what we did xxvi
 what you can do xxvii
 lookupCustomer.php 324, 330, 331, 333, 334

M

“Mg” 205
 magic quotes.
 See PHP, magic quotes
 Math.round() 56
 meta-language 360
 Microsoft.XMLHTTP 124.
 See also ActiveXObject
 Mozilla xxviii, 45
 Msxml2 124.
 See also ActiveXObject
 MySQL 96, 326.
 See also database
 mysql_close 348
 mysql_error() 348
 mysql_real_escape_string() 335
 MySQL databases 335

N

name/value pairs 301, 304, 309, 310, 313, 363,
 365
 newSpanElement 270
 node 214, 215, 235
 nodeName 233
 Node object 235
 nodeValue 233
 null 17, 30, 235
 empty value 17

O

O'Reilly xxxi
 objects 227
 onBlur 34, 78, 79, 80
 See also event handlers
 onChange 34, 60, 78, 79, 80, 254
 See also event handlers
 onClick 34, 35, 42, 60, 76, 79, 153, 159, 247,
 250, 251, 254, 272, 273, 282
 See also event handlers
 onFocus 34, 78, 79
 See also event handlers
 onLoad() 255
 onreadystatechange xi, 46, 47, 48, 49, 54, 63,
 99, 102, 105, 106, 107, 301, 310
 See also request object
 open() 301, 306
 Opera xxviii, 116, 124, 284, 305
 Order 227
 order 225, 346
 left-to-right 225
 orderCoffee() 155

P

parent 215, 235
 parent element 215
 parentNode 232
 parent node 215
 parsing the XML 350
 PHP 22, 73, 94, 95, 98, 102, 105, 176, 285, 286,
 331
 magic quotes 326
 PHP 6 326
 PHP request 285
 securing scripts 330
 PHP script xi, 206, 281, 285, 303

pizza.html 285, 291, 305, 311
 pizza.js 285, 291, 296, 301, 311
 placeOrder.php 283, 285, 286, 294, 298, 299,
 300, 301, 305, 306, 307, 308, 309
 Podcasting Studio 102, 229
 POST 29, 100, 279, 332
 POST data 299
 POST parameters 306
 POST data 309, 310, 313
 mysterious data 307
 web servers unencode POST data 300
 POST requests 297, 299, 300, 302, 303, 304,
 305, 306, 308, 311, 312, 313, 315, 362,
 365
 GET requests versus POST requests 298
 send more data 301
 pre-assembled JavaScript 16, 86, 166
 PROJECT: CHAOS 128, 137, 320, 332, 335
 proprietary 341
 Prototype 392
 Ajax.Request 392
 web site 392

R

radio button 162
 raw data 23
 readyState xi, 49, 54, 55, 60, 63, 65, 102, 103,
 124, 133, 134, 193, 292
 4 135
 abort() 193
 resetting 193
 set to 4 55, 56, 107
 relative URL 132
 reloading 229
 replaceChild() 290, 296
 replaceNode 260
 replaceText() 51, 52, 56, 168, 369
 See also text-utils.js

request.getResponseHeader 295, 309
 request.responseText 204
 request.send 310
 request.send(null) x, xi
 request/response model 5
 request data 300
 request header 310, 362, 365
 request object 2, 26, 86, 92, 94, 102, 353
 creating 16
 multiple requests 186
 request.open() 26, 85, 99
 request.send() 100
 request.send(null) 43, 71, 85, 99, 101, 105
 request URL 132, 134, 159, 297, 299, 304, 308,
 310, 313, 315
 request URLs 98, 118
 response 292
 response data 2, 104
 responseText 48, 49, 50, 63, 102, 105, 109
 responseXML 102
 response headers 295
 responseText 292, 350, 367.
 See response data; responseText
 responseXML 350, 353, 367.
 See response data; responseXML
 rich Internet applications x, 1
 Rico 397
 root element 205, 215, 225
 Ruby on Rails xxviii

S

Safari xxviii, 124, 305
 script.aculo.us 394
 Security Warrior 320
 send() 30, 99, 100, 304, 365.
 See also request.send()
 send(null) xv, 279

send more data xv, 279, 301
 sendRequest() 156
 serialization 363
 serveDrink() 155
 server 295, 306, 338, 341
 server's response 37, 44
 server-side component 367
 setAttribute() 235
 setRequestHeader() 315, 362, 365
 showConfirmation() 283, 290, 294, 296, 301,
 302
 Skeptical Girl 41, 69, 77, 91, 92, 101, 114, 132,
 133, 144, 196, 265, 302, 303, 312, 330,
 354, 360
 SQL 324, 325
 SQL injection 323, 327, 335
 attacks 326, 331, 332
 protecting against 328
 in your PHP scripts 334
 SQL query 325, 331
 SSL 304, 315
 secure sockets layer 315
 standardized 341
 startOver() 272, 273
 static JavaScript.
 See JavaScript, static
 status 292
 status code 131, 133, 134, 136
 200 131
 404 135
 status codes xi, 49, 63, 65
 submitOrder() 281, 283, 285, 301
 substring() 179, 180
 synchronous 140, 164, 196

T

tag name 354
 Team Chat 297, 326
 tech reviewers xxx
 text-utils.js 51, 53, 56, 166, 214, 404, 405
 See also clearText()
 See also getText()
 See also replaceText()
 See also Document Object Model (DOM)
 text node 216, 233, 240
 text node objects 226
 text order confirmation. 288
 this 258
 toolkits. *See* Ajax toolkits
 top5.css 246, 249, 256, 268
 top5.html 246, 249
 top5.js 247, 248, 252
 traditional web applications 2
 limitations
 page is redrawn 2
 page reloads 2
 waiting around 2
 true 294
 two-THOUSAND 312
 types of data 315
 binary objects 315
 files 315
 images 315
 plain text 315
 XML 315

U

undefined 235
 updatePage() 11, 36, 44, 47, 48, 50, 54, 55, 56,
 63, 71, 106, 107, 108, 111, 114, 125, 131,
 204, 207, 285, 356

user interface (UI) 396
 drag-and-drop 397
 Rico 397
 script.aculo.us 396

V

validation 327
 validation-utils.js 328
 var imgElement 258

W

web browser 116
 See also browser
 web server 84
 World Wide Web Consortium 223, 347
 W3C 223, 360

X

x-www-form-urlencoded 315
 XHTML 45.
 See also HTML
 XHTML 1.0 222
 XHTML 1.1 222
 XML 2, 5, 310, 337, 347
 meta-language 360
 parsing the XML 350
 XML documents 364
 XML language 361
 XML requests 313, 337, 362, 365
 XML responses 337, 362
 responseXML 350
 XMLHttpRequest 124
 See also ActiveXObject
 XMLHttpRequest 17, 90, 93, 124